

ASTERISK ALLSTAR FOR DRUMLINS

NOVEMBER 2019

STEVE VERZULLI KA1CNF

WHAT I PLAN TO COVER

- What is Allstar: history, VoIP (Voice over Internet Protocol),
 comparison to other voip's
- Allstar on Drumlins Repeaters
- How to use it
- Features
- How to build your own node
- Demo 432.1 MHz, CTCSS 88.5 Hz

Echolink

- Not open source
- Low audio quality
- Easy to use
- Large base
- Stable but stale
- Mostly computer or phone originated

IRLP

- Not open source requires board purchase
- Good audio quality
- Small user base
- Only radio originated
- Limited capability and connectability



ALLSTAR DETAILS...

- Based on Asterisk a free, open source Linux based PBX phone system
 - Two "flavors" hamvoip.org and allstarlink.org
- Adapted to connect radio systems
- App runs on Linux called "app_rpt" that handles Allstar connections between repeaters, simplex nodes and computers
- Low cost low power consumption -Raspberry Pi version 2 or 3
- Downloadable installations on web
- Install the OS, configure, tweak, and operate


MORE...

- More than 17,800 users and 13,600 nodes
- Forms a network of repeaters, remote base stations and hot spots accessible to each other via VoIP
- Choice of codecs
- Connections from Echolink, other VoIP clients and telephone calls are supported
- Requires some Linux knowledge to set up
- Lots of internet help and support available including youtube videos

FEATURES...

- Full repeater controller
- VoIP full duplex linking with excellent audio
- Frequency agile remote base station
- Simplex (half-duplex) station
- Autopatch/Echolink/APRS
- Real time status reporting
- Allows hams to experiment bridges to DMR talkgroups, Dstar reflectors
- Scales from small to huge
- Endless capability and connectability

ALLSTAR CONNECTION




TWO OF MY NODES: MAXTRAC/ALINCO





146.745-SYSTEM LAYOUT

(CREDIT:N2MKT



146.745 HOW TO ACCESS (CREDIT: N2MKT)

- If you want the Scom to do something- macro will end with asterisk *
- (ex 5002*) RACES NET Tonight
- Scom is the male voice.

- If we want the Asterisk Server to do something- macro will start with asterisk *
- (ex *86) There are no active watches...
- Asterisk is the female voice Allison.

146.745- THE FEATURES (CREDIT:N2MKT)


• To connect to an ALLSTAR NODE *3xxxx TO DISCONNECT *1xxxx Allstar nodes start with a 2 or 4 (ex.*341512)

To connect to EchoLink Node *33xxxxxx (must be 6 digits) To disconnect *13xxxxxx

- * 55 -To connect to Newsline To disconnect *56
- * 86 -To get Wayne County weather alert
- *87- Weather Underground -Newark Bell Rd (Temp, DRirection, Humidity etc)
- *88- WX Forecast for Wayne County for the week. (long Message)
- *551 -Connect 745 to 443.250
- *552- Disconnect 745 to 443.250
- *93 -To get Enable Parrot mode
- *94-To get Disable Parrot mode
- *81-To get the time Allison's voice
- *6-Autopatch up (*6-then telephone number)
- *0-Autopatch down

DRUMLINS ALLSTAR REPEATERS

- 444.750 MHz Allstar Node 43376
- 146.685 MHz- Allstar Node 43375
- 146.745 MHz- Allstar Node 41524
- 443.250 MHz- Allstar Node 41512
- 224.900 MHz- Allstar Node 47631




East Coast Reflector Login WB2JPQ - Supermon 6.2+ Allster Monitor Marilla, New York, USA IRLP Reflector 9050

Hubs Groups IRLP Status Reflector Status Reflector Web Reflector Block HamVoIP QRZ

Display Configuration [CPU: 86°F, 30°C @ 09:29]

[Weather conditions for Marilla, New York, USA 14102: 28°F, -2°C / Cloudy] WX ALERT - [Special Weather Statement]

Node 27339 => WB2JPQ East Coast Reflector [ILS] Marilla, NY, USA Bubble Chart IsNodes Listen Live									
Node	Node Information	Received	Link	Direction	Connected	Mode			
27339	Idle								
45192	WB2JPQ East Coast Hub2 [ILS] West Melbourne, FL, USA	000:02:11	ESTABLISHED	OUT	57:14:11	Transceive			
46712	W5COW SE New Mexico	000:11:35	ESTABLISHED	IN	05:10:11	Transceive			
43263	WR2ROC 146.790 Rochester/NY/US	000:28:19	ESTABLISHED	IN	57:14:11	Transceive			
500960	AB3RI 445.9500 Simplex New Castle, DE	000:32:18	ESTABLISHED	IN	37:43:01	Transceive			
2576	WB2JPQ Nano-node AE [ILS] Eden, NY, USA	000:40:03	ESTABLISHED	IN	57:14:08	Transceive			
45813	N4QCA 145.130 The Shoals, Alabama (NW Ala.)	000:47:15	ESTABLISHED	IN	57:14:06	Transceive			
3202958	K5MPH-L [EchoLink 202958] (67.10.80.51)	000:53:19	ESTABLISHED	IN	40:24:34	Transceive			
453430	W2PUT 927.525 - Mobile	001:33:44	ESTABLISHED	IN	01:47:46	Transceive			
28320	KB2FAF 147.030 Solon, Cortland County, NY	009:58:15	ESTABLISHED	IN	57:14:00	Transceive			
50597	K3KDX 146.450 Parkton, MD	013:48:53	ESTABLISHED	IN	23:49:01	Transceive			
45333	W4HKL 444.675 + Repeater Maynardville, TN	016:25:10	ESTABLISHED	IN	57:14:09	Transceive			
40247	WA4ADT 446.100 Memphis, TN	020:39:44	ESTABLISHED	IN	24:40:31	Transceive			
40263	G7ILP Bicester	021:36:34	ESTABLISHED	IN	46:17:58	Transceive			
49946	KC3FSX Johnstown HUB Johnstown, PA - USA	034:13:00	ESTABLISHED	IN	57:14:09	Transceive			
491362	KA1CNF Radioless Node Walworth, NY	037:55:53	ESTABLISHED	IN	37:55:53	Transceive			
28341	WB2JPQ ECR ACID Hub4 [ILS] Eden, NY, USA	Never	ESTABLISHED	IN	57:14:18	Transceive			
28458	K2MST 443.150 Armory Square, Syracuse, NY	Never	ESTABLISHED	IN	09:53:43	Transceive			
29132	N2LYJ /W2ERD 927.525 Upstate New York	Never	ESTABLISHED	IN	44:15:31	Transceive			
29712	AC2HK 445.550 Newfield, NY	Never	ESTABLISHED	IN	57:14:07	Transceive			
40276	K4SIP Tampa DC HUB 4 Tampa, FL	Never	ESTABLISHED	IN	24:22:22	Transceive			
41893	WA2WWK 439.8175 Portable USA	Never	ESTABLISHED	IN	57:14:10	Transceive			
43847	W7VTX Seattle	Never	ESTABLISHED	IN	57:13:51	Transceive			
44024	KJ4QAL DMR BM TG31281 St Petersburg, FL	Never	ESTABLISHED	IN	06:29:57	Transceive			
44032	KA1MXL Warwick Rhode Island PROVIDENCE RHODE ISLAND	Never	ESTABLISHED	IN	57:14:00	Transceive			
45510	KL7RG 145.550 Haines, AK	Never	ESTABLISHED	IN	22:40:08	Transceive			
46533	KU6V san jose california	Never	ESTABLISHED	IN	20:22:02	Transceive			
47228	K2ZS 445.750 Simplex Chili NY USA	Never	ESTABLISHED	IN	57:14:10	Transceive			
47637	N6PTS San jose, CA	Never	ESTABLISHED	IN	00:56:20	Transceive			
48573	KB2CHM 443.100 Churchville, New York	Never	ESTABLISHED	IN	57:14:07	Transceive			




Node 27225

Main Stats Page

Connections

Node	Mode	Callsign	Channel	CTCSS	Location
27025	Transceive	K9CWM	Great Lakes Hub 1	No radio	Pleasant Lake, IN
28258	Transceive	WA2WWK	927.4750	131.8	Amherst/NY
29014	Transceive	WA3DSP	PHL LOCAL HUB		Richboro
29272	Transceive	K8BMC	147.405 Simp 110.9	110.9	Sandusky, OH
29299	Transceive	KB5ELT	441.300 +	100.0	Houston Texas
29766	Transceive	KN2R			N. Fort Myers, SW Florida
40561	N/A	N/A	N/A	N/A	N/A
40760	Transceive	K8VMC	446.1375 RPI 2 sys	186.2	Brunswick Ohio 44212
41521	Transceive	MB7ILV	145.2125 MHZ	94.8	Bootle, Liverpool. UK
41750	Transceive	N3AQJ	446.825- PL 110.9	110.9	Fairfield, CT FN31jd
41791	Transceive	N3AQJ	224.100 - PL 77.0	77.0	Fairfield, CT FN31jd
41918	N/A	N/A	N/A	N/A	N/A
43542	Transceive	KD3WT	446.875 -	131.8	Overbrook Pa.
44037	Transceive	KA1HCX	432.100	88.5	Trumbull, CT
44286	Transceive	W2PAX	223.410	88.5	Naples, FL
45619	Transceive	WU1N	147.555	100.0	Mason Ohio
46199	Transceive	KD6KCA	Radioless Node2 KCA1		Alviso, Ca.
46285	Transceive	N5API	442.100+	97.4	Winfield, KS
46969	Transceive	W2MGF 441.2000	441.2000 (SIMPLEX)	DCS 225	BRONX NY
47446	Transceive	KB3CI			Grosse Ile Michigan
47836	Transceive	VE3BZ	434.900	88.5	Victoria Harbour, ON
48050	Transceive	KB3IV	432.200	88.5	Warrington, Pa
48141	Transceive	WW3N	445.55	67.0	Port Republic, MD
491360	Transceive	KA1CNF	447.000	114.8	West Walworth, NY
49311	Transceive	KA2ING	Low power Hotspot		Phillipsburg, NJ
50291	Transceive	KB3CI			Grosse Ile Michigan

Frequency	Offset	Tone Up / Down	Location	County	Call	Use	((T ³⁾
53.4700	-1 MHz	82.5 / 82.5	Clyde	Seneca	KA2NDW	OPEN	0
53.6100	-1.0 MHz	127.3 / 127.3	Sherman	Chautauqua	WB2EDV	OPEN	0
145.4700	-0.6 MHz	82.5 / 82.5	Clyde	Seneca	KA2NDW	OPEN	0
146.6550	-0.6 MHz	110.9 / 110.9	S. Bristol, Mees Observatory	Ontario	WR2ROC	OPEN	0
146.6850	-0.6 MHz	71.9 / 71.9	Arcadia, Brantling Ski	Wayne	WA2EMO	OPEN	0
146.7450	-0.6 MHz	71.9 / 71.9	Newark, Water Tower	Wayne	WA2AAZ	OPEN	0
146.7900	-0.6 MHz	110.9 / 110.9	Rochester, Highland Hospital	Monroe	WR2ROC	OPEN	0
147.0300	+0.6 MHz	71.9 / 71.9	Cortland	Cortland	KB2FAF	OPEN	0
147.1800	+0.6 MHz	71.9	Cortland	Cortland	K2IWR	OPEN	0
147.2250	+0.6 MHz	71.9 / 71.9	Cortland	Cortland	KB2FAF	OPEN	0
147.2550	+0.6 MHz	107.2 / 107.2	Lancaster	Erie	W2SO	OPEN	0
147.3150	+0.6 MHz	110.9 / 110.9	Rochester, URMC	New York	WR2ROC	OPEN	0
223.8400	-1.6 MHz	141.3	Todt Hill, Staten Island	Richmond	W2RJR	OPEN	0
224.4700	-1.6 MHz	82.5	Clyde	Albany	KA2NDW	OPEN	0
442.0750	+5 MHz	110.9 / 110.9	Rochester, RIT	Monroe	K2GXT	OPEN	0
442.2250	+5.05 MHz	82.5 / 82.5	Waterloo	Seneca	W2ACC	OPEN	0
442.8500	+5 MHz	71.9	Cortland	Cortland	KB2FAF	OPEN	0
443.1000	+5 MHz	110.9 / 110.9	Churchville	Ulster	KB2CHM	OPEN	0
443.2500	+5 MHz	110.9 / 110.9	Newark	Wayne	N2MKT	OPEN	0
444.7000	+5 MHz	114.8 / 114.8	Farmingville, NY	Suffolk	WR2UHF	OPEN	0
444.7500	+5 MHz	110.9 / 110.9	Arcadia, Brantling Ski	Wayne	WA2EMO	OPEN	0
445.9750	-5 MHz	118.8	Carle Place	Nassau	N2YXZ	OPEN	0
446.8250	-5 MHz	141.3 / 141.3	Brooklyn, Downtown	Kings	K2RMX	OPEN	0
927.3125	-25 MHz	D606 / D606	West Islip	Suffolk	W2YMM	OPEN	0
927.3250	-25 MHz	88.5 / 88.5	Buffalo	Erie	N2LYJ	OPEN	0



HARDWARE AND SOFTWARE

- Computer Raspberry Pi Canakit, amazon, \$45
- Radio with data interface or mod one
- A URI or modified sound card fob to connect to usb port on Raspberry pi Rim module \$50, usb sound fob ~\$5
- Software from allstarlink.org
- Misc.: power supply, cables, antenna

DEMONSTRATION

- HT set to 432.1 MHz PL tone of 88.5 Hz
- "yellow box" portable node
- Using hotspot for internet connection
- List of commands
- Connect to a node

- Technobygeorge.com parts to assembled kits
- hamvoip.org software plus lots of how to's
- web-tpa.allstarlink.org
- www.crompton.com
- www.k2ets.com/asterisk.html
- wiki.allstarlink.org/wiki/Beginners_Guide
- Hamprojects.info/dinah
- www.repeater-builder.com/products/usb-rim-lite.html
- stats.allstarlink.org
- https://dvswitch.groups.io/g/Mobile/wiki/AllStarLink-setup-for-DVSwitch-Mobile